

MITYUSHKIN, Yu.I.; SEMENOV, Yu.I., student; SHITKOV, V.N., student

Compressible gas flow through an axial nozzle tip with cooled
blading. Trudy LKI no.34:151-158 '61. (MIRA 15:8)

1. Kafedra sudovykh parovykh i gazovykh turbin Leningradskogo
korablestroitel'nogo instituta (for Mityushkin). 2. Mashinostroitel'-
nyy fakul'tet Leningradskogo korablestroitel'nogo instituta (for
Semenov, Shitkov).

(Marine gas turbines)

ACCESSION NR: AR4021745

8/0285/64/000/002/0012/0013

SOURCE: RZh. Turbostroyeniye, Abs. 2.49.75

AUTHOR: Mityushkin, Yu. I.; Semenov, Yu. I.; Shitkov, V. N.

TITLE: Gas flow through cooled guide-vane assemblies with a variable temperature field at the intake

CITED SOURCE: Tr. Leningr. korablestroit. in-ta, vy*p. 39, 1962, 91-97

TOPIC TAGS: gas turbine engine, guide vane assembly, turbine vane, turbine cooling, gas-flow calculation

TRANSLATION: To strengthen the operating vanes it is advisable in certain gas turbine engine designs to increase the gas temperature from the base towards the tip of the vanes. The calculations of the gas flow through a cooled guidevane assembly take into account the variation of the temperature field at its intake. Under study is the steady axially-symmetric flow of compressed gas passing with friction through a guide-vane assembly from the cooled vanes. The gas flow is assumed to be cylindrical; the distribution of the parameters at the intake of

Card 1/3

ACCESSION NR: AR4021745

the guide-vane assembly is known. The presented method makes it possible to calculate the field of velocities at the outlet of a cooled guide-vane assembly equipped with arbitrarily twisted vanes, when the temperature field varies at the inlet to the turbine's stage and the drop in total pressure varies along the radius. It is noted that due to the rather small relative length of turbine blades ($l/D_{\text{average}} = 1/8-1/12$) in high-pressure gas-turbine engines used on ships and due to the insignificant change in the angle of torsion α_1 and in the flow losses η_1 taking place along the height of the vanes, it can be assumed that both α_1 and η_1 are constant along the radius. No cooling is required for nozzle vanes made of ceramic or metallo-ceramic materials. This fact simplifies considerably the derived equations. In this article are given the results of calculating the field of velocities at the outlet of a cooled and an uncooled guide-vane assembly for various laws governing the change in temperature along the height of the vanes. On the basis of these results it is shown that for acceptable quantities of air used to cool the nozzle vanes (2% of the air passing through the engine) and for high gas temperatures it is practically possible to disregard the lowering of the gas temperature resulting from the cooling at the

Card 2/3

ACCESSION NR: AR4021745

outlet of the guide-vane assembly. In this case the velocity planes and their distribution over the height of the vanes are practically the same with and without cooling. It is noted that the unsteadiness of the temperature field at the intake changes substantially the field of velocities at the outlet of the guide-vane assembly and requires an appropriate shaping of the operating vanes. There are 2 illustrations and a bibliography of 4 titles. V. Tenyakov.

DATE ACQ: 05Mar64

SUB CODE: AI, PR

ENCL: 00

Card 3/3

SHITKOVSKAYA, M.V.

Motortrucks with high readability. Avt. i trakt. prem. no. 5:46-47 My
'57. (MLRA 10:6)

(Motortrucks)

YELISEYEV, B.; SHITKOVSKAYA, M.V.

The SP-90 device for measuring the backing distance of automobiles.
Avt. transp. 36 no.10:35-36 0 '58. (MIRA 13:1)
(Automobiles--Apparatus and supplies)

KALININ, Fedor Leontiyevich; MEREZHINSKIY, Yuriy Georgiyevich;
LYUDINSKIY, N.A., doktor biol. nauk, otv.red.;
SHITKOVSKAYA, V.L., red.

[Plant growth regulators; the biochemistry of their action
and their use] Regulatory rosta rastenii; biokhimiia
deistviia i primeneniie. Kiev, Naukova dumka, 1965. 405 p.
(MIRA 18:7)

SHITLIN, A.I.

SHITLIN, A.I., slesar'

~~Instrument for testing the sweep of group switches. Elek. i tepl.~~
tiaga 2 no.1:25-26 Ja '58. (MIRA 11:3)

1. Depo Zlatoust Yuzhno-Ural'skoy dorogi.
(Electric switchgear)

SHCHETNIKOV, B. N.; YAVLINSKIY, N. A., and MIKHAYLOV, G. A.,

"Digital Electronic Computer TsEM-1," Problems of Cybernetics, No 1, Moscow, p 190.
Fizmatgiz, 1958. 268 pp. with co-authors.

This collection of articles deals with general problems of cybernetics, information theory, theory of algorithms and automatic machines, theory of control systems, theory of games and tactics, methods of operations & analysis, problems in the theory of calculating machines, programming, and the application of cybernetics to other sciences, such as biology, economics and linguistics. "Problems of Cybernetics," as a recurrent publication, will continue to include original papers, survey articles and translations and, like the present work, will contain the results of seminars in cybernetics held at Moscow Univ.

MIKHAYLOV, G.A. (Moskva); SHITNIKOV, B.N. (Moskva); YAVLINSKIY, N.A.
(Moskva)

The TsEM-1 electronic digital computer. Probl.kib. no.1:190-202
'58. (MIRA 12:4)
(Electronic digital computers)

SHITNIKOVA, I. S., SPIVAK, G. V., KANAVINA, N. G., PRILEYAYEVA, I. N.
DOMBOVSKAYA, T. N., AZOVTSEV, V. K. (Moscow)

"On the Direct Visualization of the Domains of an Ferromagnetic by Means of an Electron Microscope with Secondary Emission and an Electron Mirror," a paper submitted at the International Conference on Physics of Magnetic Phenomena, Sverdlovsk, 23-31 May 56.

SHITNIKOVA, Z.

Method of recording morbidity in children's polyclinics. Vop.okh.
mat.i det. 4 no.6:77-78 N-D '59. (MIRA 13:4)
(MEDICAL RECORDS)

SHITOV, A.A., inzh.

In the section on the "Acceleration of the blast furnace process."
Met. i gornorud. prom. no.2:79-80 Mr-Apr '62. (MIRA 15:11)
(Blast furnaces--Congresses)

SHITOV, A.A., inzh.

Meeting of the Scientific Council to "Accelerate and perfect
existing and develop new processes for the production of metals
on the basis of Ukrainian deposits of ores and fuels." Met. 1
gornorud. prom. no.3:87 My-Je '62. (MIRA 15:9)
(Ukraine—Metallurgical research)

SHITOV, A.A., inzh.

Direct process of iron production from ores in the United
States. Met. i gornorud. prom. no.1:81-84 Ja-F '62.

(MIRA 16:6)

(United States--Iron--Metallurgy)

SHITOV, A.A., inzh., referent

Industrial production of sponge iron in Sweden (from
foreign journals). Met. i gornorud. prom. no.4:90-91
Jl-Ag '62. (MIRA 15:9)
(Sweden--Iron--Metallurgy)

SHITOV, A.A., inzh.

New methods for the production of iron and steel (from "Stahl und Eisen," no.22, 1961; "Iron and Steel Engineer," no.36, 1959). Met.1 gornorud.prom. no.5188-89 S-O '62. (MIRA 16:1)
(Steel--Metallurgy) (Iron--Metallurgy)

SHITOV, A.A., inzh.

Industrial production of ferronickel in the United States by
direct reduction (from foreign periodicals). Met.i gornorud.
prom. no.5:91-92 S-0 '62. (MIRA 16:1)
(United States=Iron-nickel alloys)

SHITOV, A.A., inzh.

Cast refractories in metallurgy. Met. i gornorud. prom. no.6:
84-85 N-D '62. (MIRA 17:8)

SHITOV, A.A., inzh.

Expansion of steel vacuuming in foreign countries. Met. i
gornorud. prom. no.5:88-90 S-0 '63. (MIRA 16:11)

SHITOV, A.I., inzh.

Soldering without the use of a soldering iron. Avtom., telem. i
sviaz' 4 no.10:32-33 0 '60. (MIRA 13:10)
(Solder and soldering)

CA

9

Method and apparatus for gaseous cementation of hollow articles. A. P. Shitov and N. V. Nikol'skiy. U.S.S.R. 64,847, July 31, 1945.

ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION

GROUPS

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200

201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300

301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400

401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500

501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600

601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700

701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800

801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900

901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000

SHITOV, A. P. and V. B. RAITSES.

Protsess gazovoi tsementatsii; obrazovanie okaliny. (Vestn. Mash.,
1950, no. 8, p. 43-44.)

(Process of gas cementation and formation of scale.)

DLC: TN4.V4

SO: Manufacturing and Mechanical Engineering in the Soviet Union,
Library of Congress, 1953.

NEON, A. P. M. S. S. S. S.

Usovershenstvovaniy sposob ochistki detalей ot okaliny. (Vestn. Mash., 1970, no. 12, p. 42)

Belarusian Machine plant in Minsk.

Improved method of cleaning machine parts from scale.

DLT: TM.h74

Source: "Manufacturing and Mechanical Engineering in the Soviet Union, Library of Congress, 1973.

SHITOV, A.P.; PYATAKOV, L.L.; GORBUL'SKIY, I.Ya.; KULIKOV, I.M.;
RUBBAT, S.I.

Induction surface hardening of tractor block bushings instead
of through hardening. Prom.energ. 11 no.8:21-22 Ag '56.
(Cast iron--Hardening)

SHITOV, N.I.

ZVEREV, A.G.; POPOV, V.F.; FADEYEV, I.I.; BABUSHKIN, V.I.; BERLOVICH, I.L.;
BOGHKO, A.M.; BURLACHENKO, S.Ye.; GARBUZOV, V.F.; DMITRICHEV, P.Ya.;
DUNDUKOV, G.F.; ZLOBIN, I.D.; KOROVUSHKIN, A.K.; KORSHUNOV, A.I.;
KUZIN, M.G.; KUTUZOV, G.A.; LYSKOVICH, A.A.; MASHTAKOV, A.M.;
MIKHEYEV, V.Ye.; NIKEL'BERG, P.M.; POSKONOV, A.A.; ROMANOV, G.V.;
SOSIN, I.F.; SOSNOVSKIY, V.V.; POVOLOTSKIY, M.M.; URYUPIN, F.A.;
KHARIONOVSKIY, A.I.; CHULKOV, N.S.; SHESHERO, N.A.; SHITOV, A.P.;
SHUVALOV, A.M.; YANBUKHTIN, K.Kh.

Arsenii Mikhailovich Safronov; obituary. Fin.SSSR 18 no.11:95
N '57. (MIRA 10:12)

(Safronov, Arsenii Mikhailovich, 1903-1957)

RAYTSES, V.B., kand. tekhn. nauk; SHITOV, A.P., inzh.

Industrial testing of electric heating furnaces. Sbor. st. CHPI
no.14:101-104 '59. (MIRA 12:9)

(Electric furnaces--Testing) (Furnaces, Heat-treating)

S/137/63/000/001/014/019
A006/A101

AUTHORS: Pyatakova, L. L., Iskhakov, S. S., Shitov, A. P., Miroshnikova,
K. Ye.

TITLE: On the mechanism of the effect of some elements upon the properties
of carburized steel

PERIODICAL: Referativnyy zhurnal, Metallurgiya, no. 1, 1963, 50, abstract 11283
(In collection: "Novoye v metalloved. i tekhnol. term. obrabotki
stali", Chelyabinsk, 1962, 7 - 23)

TEXT: The authors investigated the Si-Mn steel system containing in %:
C 0.15 - 0.24, Si 0.80 - 1.30, Mn 1.5 - 2.00 with admixtures of V, Cu, W, B, Ti,
Cr and Mo. The steel is intended for the production of gears. The effect of
alloying elements upon martensite transformation was studied. M_s is most strong-
ly reduced by Mn and Cr; less by Ni, V, Mo, and is almost not reduced by Si
and Cu. Due to alloying with Si (1.0 - 1.3%) it is possible to prevent, during
carburizing, oversaturation of the surface C layer and to obtain a necessary
depth of the carburized layer at an optimum C content (0.85 - 0.9%). Si-Mn

Card 1/2

On the mechanism of the effect of...

S/137/63/000/001/014/019
A006/A101

steels have a martensite transformation temperature as high as 300 to 365°C. Admixtures of Mo, V, Cr (0.5 - 0.7%) or B (0.001 - 0.002%) to Si-Mn steel secure high roasting ability and satisfactory properties on large-size parts, up to 100 mm in diameter. Si-Mn steels have σ_b 132 - 167 kg/mm², σ_s 122 - 145 kg/mm², δ 10 - 15%, ψ 53.5 - 66.6%, a_k 10.3 - 13.8 kgm/cm²; grain size is 2.9 - 3.2. Additional alloying of the steel with V, Cu and Mo prevents grain growth, strengthens the grain boundaries and increases roasting ability. Alloying affects the failure resistance of the steel due to its increased ductility (in martensite state). Grade 17CT 2 M (17SG2M) steel, developed on the basis of the investigations, offers high fatigue contact and operational strength. The use of this steel instead of 12X2H4 (12Kh2NCh) steel yields savings of about 70 rubles per 1 ton. There are 12 references.

L. Koblikova

[Abstracter's note: Complete translation]

Card 2/2

9/276/63/000/001/005/028
A006/A101

AUTHORS: Pyatakova, L. L., Iskhakov, S. S., Shitov, A. P., Miroshnikova, K. Ye.

TITLE: On the mechanism of the effect of some elements upon the properties of carburizing steel

PERIODICAL: Referativnyy zhurnal, Tekhnologiya mashinostroyeniya, no. 1, 1963, 35, abstract 1B176 (In collection: "Novoye v metalloved. i tekhnol. term. obrabotki stali", Chelyabinsk, 1962, 7 - 23)

TEXT: The authors analyzed in detail the mechanical, technical and, in some cases, the operational properties of silico-manganese-base steel containing in %: C 0.15 - 0.24; Si 0.8 - 1.30; Mn 1.50 - 2.00 with admixtures of V, Cu, W, B, Ti, Cr, and Mo. An analysis is made of the location of the martensite point, the ability of cementation, hardenability, mechanical properties, and some parameters determining the behavior of steel under operational conditions. As a result of the investigation performed, it was established that the use of silico-manganese-base steel with Mo or W admixtures for the manufacture of gears instead of chrome-nickel steel, yields not only a high economical effect but raises

Card 1/2

USSR/Engineering - Excavator SU-60

31 May 53

"Excavator SU-60," Engr L.P. Khodchenko and Engr
A.S. Shitov, State Planning Institute for Organiz-
ing the Dwelling-Construction Industry

Byul Stroi Tekh No 10, p 29

States industrial tests have been conducted on ex-
cavator Su-60, manufactured according to drawings
developed by Kiev State Planning Institute for Or-
ganizing the Dwelling-Construction Industry. Can
be used for excavating and loading sand from pit
or river into trucks or railroad cars. Dimensions
in mm: 11,700 x 6,600 x 3,500. Gives specifica-
tions.

268T68

ALEKSEYEV, V.N.; VINOGRADOV, A.N.; kand.ekon.nauk; VLADIMIROV, V.A.; inzh.;
KOCHETOV, I.V., prof.; doktor ekon.nauk; MINAKOV, P.F.; POTAPOV,
I.A.; ROMANOV, M.P., dotsent, kand.ekon.nauk; SPENGLER, Ye.N.,
kand.ekon.nauk; SHITOV, A.V.; SHUKHATOVICH, I.M.; YAKUBOV, L.S.;
IVLIYEV, I.V., red.; KRISHAL', L.I., red.; KOCHETOV, I.V., prof.,
doktor ekon.nauk, nauchnyy red.; IVANOV, A.P., nauchnyy red.;
BOBROVA, Ye.N., tekhn.red.

[Statistics and bookkeeping in railroad transportation; manual]
Statistika i bukhgalterskii uchet na zheleznodorozhnom transporte;
spravochnik. Moskva, Vses.izdatel'sko-poligr.ob"edinenie M-va
putei soobshchenia, 1960. 485 p. (MIRA 14:3)

(Railroads--Accounts, bookkeeping, etc.)

(Railroads--Statistics)

SHILOV, B. I.

Author of the chapter "A Three-ton Electrically Driven Lorry (Produced by the German Essling Works)." (See "A.T.Z.", Germany, Aug., 1950

from the publication "Avtomobilnaya i Traktornaya Promyshlennost" (Automobile and Tractor Industry) No. 1, January 1954, p. 29) (See V. E. Malakhovskiy for authors of other chapters.)

SHITOV, B.I.

Non-blinding headlights. Avt.trakt.prom. no.7:31 J1 '53. (MLHA 6:8)
(Automobiles--Lighting)

SHITOV, B.I.

Alkali storage batteries for starting automobile motors. Avt.trakt.prom.
no.9:30-31 S '53. (MLRA 6:9)

(Automobiles--Batteries)

SHITOV, B. I.

USSR/Engineering - Trucks

Card 1/1

Authors : Shitov, B. I.

Title : A three-ton electrically driven truck

Periodical : Avt. Trakt. Prom. Ed. 1, 29-30, January 1954

Abstract : Presentation of data, and a description of an electrically driven truck (EL-3001), produced by the German Essling Works. The truck is powered by an electrical 12.5 kvt motor, and carries two batteries, type 5AFA-Ku 285. The maximum speed for this truck, with a three-ton load, is 22 km/h. Illustration; graphs, and tables of characteristics.

Institution :

Submitted :

SHITOV, B.I.

Manufacturing process of cadmium-nickel batteries. Avt.trakt.
prom. no.4:31 Ap '55. (MLRA 8:5)
(Automobiles--Batteries)

SHITOV, B.I.

New developments in battery design abroad. Avt.1 trakt.prom. no.4:
42-43 Ap '56. (MLBA 9:8)

(Storage batteries)

BOYM, Anatoliy Borisovich,; MENDELEVICH, Yakov Ayzikovich,; SIMONOV,
Lev Antonovich,; SHITOV, B.I., retsenzent,; GOL'DBERG, G.I., red.;
NAKHIMSON, V.A., red. izd-va,; EL'KIND, V.D., tekhn. red.

[Controlling radio interference due to automobiles, motorcycles,
and tractors] Podavlenie radiopomekh, sozdavaemykh avtomobilami,
mototsiklami i traktorami. Moskva, Gos. nauchno-tekhn. izd-vo
mashinostroit. lit-ry, 1958. 94 p. (MIRA 11:8)
(Radio--Interference)

541700, G.A.

25(1) PHASE I BOOK EXPLOITATION SOV/2383

Akademiyu nauk SSSR. Konlasiya po tekhnologii mashinostroyeniya
Automatizatsiya mashinostroyeniya. t. III. Privod
i upravleniye mashinami (Automation of Machine-build-
ing Processes. Vol.2: Drives and Control Systems for Process-
ing Machinery) Moscow, Izd-vo AN SSSR, 1959. 370 p. Errata slip
inserted. 5,000 copies printed.

Ed.: V.I. Dikushin, Academician. Ed. of Publishing House: D.M.
Ioffe. Tech. Ed.: I.P. Kuz'min.

PURPOSE: This book is intended for engineers dealing with auto-
mation of various machine-building processes.

COVERAGE: This is the second volume of transactions of the second
Conference on Overall Mechanization and Automation of Manufac-
turing Processes held September 25-29, 1956. The present volume
contains three parts, the first dealing with automation of
engineering measuring methods. The subjects discussed include
automatic control of dimensions of machined parts, inspection
methods for automatic production lines, in-process inspection
devices, application of electronics in automating linear of
measuring processes, and machines for automatic inspection of
bearing races. The second part deals with automatic control of
and control systems for process machinery, including appli-
cation of digital computers in the control of metal-cutting
machine tools, reliability of relay systems, application of
gas-tube frequency converters in the control of induction
motor speeds, magnetic amplifiers and their use in automatic
systems, hydraulic circuits and ultrasonic vibrators. Part
three deals with automatic control of automatic machines and auto-
matic production lines. The subjects discussed include
static production lines, and Geneva-wheel-type mechanisms, friction
drives, automatic loading devices, diaphragm-type pneumatic
drives, various auxiliary devices for automatic production
lines, and methods of design and accuracy of cams. No person-
alities are mentioned. There are no references.

Gorodetskiy, I. Ye. Decreased. Automatic Control of Dimensions
in Machine Building 5

Altshuler, A.N. Determining Optimum Conditions for Controlling
the Mean Diameter of Machined Parts 9

Kopanevich, N. Ye. Lenin prizewinner. Inspection Methods
for Automatic Production Lines 29

Dvoretzkiy, Ye. R. Standard Devices for Active Control 39

Vikhman, V.S. Application of Electronics in Automating Linear
Measuring Methods 45

Klusov, I.A. Metrological and Statistical Checking of Some
Automatic Inspection and Sorting Systems 53

Shlioz, G.A., Ye. M. Draskin. Experience Gained in Develop-
ing Machines for Automatic Inspection of Bearing Races 62

Mazurov, P.V. Digital Computers in Automatic Control of Pro-
cesses 75

Khatagurov, Ya. A. Some Problems Concerning Digital Control of
Metal-cutting Machine Tools 88

Zugman, V.G., and I.A. Vulliam. Designing Digital Program
Control Systems for Machine Tools 98

Sotnikov, B.S. Problems Concerning the Reliability of Relay
Systems 107

Lebuntsov V.A. Application of Gas Tube Frequency Converters
in the Control of Induction Motor Speeds by the Frequency
Method 117

Maydis, V.A. Controlled Electric Drive for Metal-cutting
Machines 203

Levitskiy, N.I. Development of the Theory of Mechanisms of
Automatic Machines
Card 5/7

72

GLYASS, Vyacheslav Danilovich; SHITOV, G.A., inzh., retsenzent; KUDASOV,
G.F., kand.tekhn.nauk, red.; VAKSER, D.B., dotsent, red.;
LEYKINA, T.L., red.izd-va; KONTOROVICH, A.I., tekhn.red.

[Screw-thread grinding] Rez'boshlifovanie. Pod obshchei red. G.F.
Kudasova. Moskva, Gos.nauchno-tekhn.izd-vo mashinostroit.lit-ry,
1960. 62 p. (Bibliotekha shlifovshchika, no.7).

(Screw cutting)

(MIRA 13:7)

YESAFOV, V.I.; SHITOV, G.P.

Characteristics of primary-tertiary β -glycols. Part 3. Zhur.ob.-
khim. 32 no.9:2619-2822 S '62. (MIRA 15:9)

1. Ural'skiy gosudarstvennyy universitet.
(Glycols)

SHITOV, I.A.

Epidemic situation in the Republic of Togo; data from a trip
by a delegation of Soviet physicians to the Republic of Togo.
Zhur. mikrobiol. epid. i immun. 33 no.10:132-135 0'62
(MIRA 17:4)

1. Iz Ryazanskogo meditsinskogo instituta imeni akademika
Pavlova.

IVANOV, V.V.; SHITOV, I.K.; YUDOVIN, I.B.

Using pulsed loadings for pipe fastening. Mashinostroitel'
no.11:26-27 '65. (MIRA 18:11)

SHITOV, I. M.

Foreign School in American

The Soviet Union, Moscow, East-West '5, No. 1, 1953.

9. Monthly List of Russian Accessions, Library of Congress, May 1953, Unclassified.

CAI 9

Uniformalizing ores and concentrates in Magnitogorsk works. M. P. Marinenko and L. S. Shitov. *Gornyi Zhurnal*, 1952, No. 1, 29-39. Procedures adopted at the mines, open storage yards, and storage bins for uniformization of ore with various Fe content so as to obtain an ore of uniform Fe content in successive batches are described. M. H.

SHITOV, I. S.

Durkov, I.E.
Popov, S.I.
Golovin, G.M.
Karpov, A.F.
Nikol'skiy, N.A.
Shitov, I.S.
Bulychev, V.V.
Ogiyevskiy, V.M.
Treyvus, M.M.
Shtromt, A.A.
Trofimov, G.V.
Pushkarov, G.I.
Markman, N.Ye.
Tikhovidov, I.I.

"The Working of Iron Ores
by the Open Pit Method"

Magnitogorsk Mining Metal-
lurgical Institute imeni
G.I. Nosov

SHITOV, I. S.

BULYCHEV, V.V.; GOLOVIN, G.M.; ZURKOV, P.E.; KARPOV, A.F.; NIKOL'SKIY, N.A.; OGIEVSKIY, V.M.; POPOV, S.I.; TREYVUS, M.N.; SHITOV, I.S.; SHIREMT, A.A.; ZURKOV, P.E., kandidat tekhnicheskikh nauk, redaktor; KOMPANEYETS, V.P., kandidat tekhnicheskikh nauk, retsenzent; VAUANOV, P.V., kandidat tekhnicheskikh nauk, retsenzent; IKONNIKOV, A.N., kandidat tekhnicheskikh nauk, retsenzent; SAUKHAT, I.G., kandidat tekhnicheskikh nauk, retsenzent; NIKOLAYEV, S.I., retsenzent.

[Mining iron ore by the opencast method] Razrabotka zheleznykh rud otkrytym sposobom. Pod. obshchei red. P.E.Zurkova. Sverdlovsk, Gos. nauchno-tekhn. izd-vo lit-ry po chernoi i tsvetnoi metallurgii, 1953. 632 p. (MLRA 7:8)
(Iron mines and mining)

MARTYNOV, G., inzhener; SHITOV, I., inzhener

All-Union Conference on Automatization of Industrial Processes
in Iron Metallurgy. Gor. zhur. no.7:3 of cover J1 '56.

(MLRA 9:9)

(Metallurgy) (Automatic control)

SHITOV, I.S.; ANTONOV, H.G., gornyy inzhener; TIKHOVIDOV, A.F., gornyy inzhener.

Potentialities for increasing labor productivity in the Magnitogorsk
mine. Gor.zhur.no.9:8-11 S '56. (MLBA 9:10)

1.Glavnyy inzhener Gornogo upravleniya Magnitogorskogo metallurgicheskogo kombinata (for Shitov).
(Magnitogorsk--Mining engineering)

SHITOV I. S.

18(5)

PHASE I BOOK EXPLOITATION

SOV/1247

Dostizheniya domenshchikov Magnitogorskogo metallurgicheskogo kombinata
(Achievements of Blast Furnace Operators of the Magnitogorsk
Metallurgical Combine) Moscow, Metallurgizdat, 1957. 279 p.
3,000 copies printed.

Ed.: Bannykh, A.I., Professor; Ed of Publishing House: Yablonskaya,
L.V.; Tech. Ed.: Attopovich, M.K.

PURPOSE: This book is intended for engineers, foundry foremen, and
personnel in research institutes. It may also be useful to students
and others interested in foundry practice.

COVERAGE: This book deals with achievements of the foundries of the
Magnitogorsk Metallurgical Combine. The processes of preparing
the charge, melting and pouring are described. Improvements in
foundry methods and the theory behind these improvements are presented
with numerous graphs and illustrations. The book is the combined
effort of the following authors: Foreword: Bannykh, A.M. (editor);
Introduction, parts 1 and 2: Bannykh, A.M.; part 3 by

Card 1/6

Achievements of Blast Furnace Operators (Cont.) SCV/1247

Stefanovich, M.A.; Chapter I, part 1 by Dorogobid, G.M.; part 2 by Shitov, I.S.; part 3 by Yakobson, A.P.; Chapter II, part 1, 2, and 3 by Galatnov, A.L.; part 4 by Barnykh, A.M. and Nayasov, A.G.; Chapter III, Galatov, A.L. and Golchin, V.I.; Chapter IV, parts 1,2,3,4,5 and 6 by Galatnov, A.L.; part 7 by Stefanovich, M.A.; Chapter V by Stefanovich, M.A.; Chapter VI by Babarykin, N.N.; Chapter VII by Shastin, V.A.; Chapter VIII by Gornostayev, V.K. There are 51 references, of which 43 are Soviet, and 8 are English.

TABLE OF CONTENTS:

Foreword	5
Introduction. 1. Brief description of a blast furnace	7
2. Results of technical and economic achievements of the blast furnace shop, 1950 to 1955	8

Card 2/6

Achievements of Blast Furnace Operators (Cont.)	SOV/1247	
3. The nature of processes in a blast furnace		16
Ch. I. Preparation of Raw Material and Fuel for Blast Furnace Operation		36
1. Method of coking		36
2. Blending of ore		68
3. Agglomerate plants and preparation of agglomerate		79
Ch. II. Flux-bearing Agglomerate		87
1. The use of flux-bearing agglomerate in the charge of a blast furnace		87
2. Quality of highly basic flux-bearing agglomerate		91
3. Results of blast furnace performance with flux-bearing agglomerate		92
4. Theoretical principles and reasons for using flux-bearing agglomerate		97
Card 3/6		

Achievements of Blast Furnace Operators (Cont.) SOV/1247

Ch. III. Elimination of Manganese Additives from the Charge and the Production of Low Manganese Cast Iron	113
1. Productivity of the blast furnace and coke requirements	115
2. Quality of pig iron	117
3. Economic results	126
Ch. IV. Increased Pressure of Blast Furnace Gas	128
1. Application of increased top pressure	128
2. Plan for a changing over of blast furnaces to increased top pressure	129
3. Operation of blast furnaces with increased top pressure	134
4. Control and measuring instruments and their readings	137
5. Special features in the operation of blast furnaces with increased top pressure	140
6. Changes in the distribution of the charge materials in the stack	142
7. Theoretical principles of blast furnace operation with increased top pressure	146

Card 4/6

Achievements of Blast Furnace Operators (Cont.) SOV/1247

Ch. V.	Application of Blowing With Increased and Controlled Amounts of Moisture and Increased Heat (Temperature)	175
1.	The role of hydrogen and water vapors in blast furnaces	175
2.	Results of using blowing with variable amount of moisture	182
3.	Direction of changes in moisture content (from normal to optimum)	191
4.	The importance of high temperature blowing in relation to changes in the blast furnace processes	193
Ch. VI.	Controlling Blast Furnace Operations From the Top	210
1.	Analysis of motion and distribution of charge materials in the stack	212
2.	Characteristics of the basic principles in controlling blast furnace operations from the top	229
3.	The use of principles of controlling the blast furnace from the top for the elimination of certain troubles in the functioning of blast furnace	237

Card 5/6

Achievements of Blast Furnace Operators (Cont.) SOV/1247

Ch. VII. Constructional Improvements of Blast Furnace Shop	
Equipment	248
1. Loading arrangement for blast furnaces	248
2. Receiving hopper	250
3. Hot air duct equipment	255
4. Arrangement for removal of melt products	261
5. Overhaul of blast furnaces	261
Ch. VIII. The Role of the Blast Furnace Foreman	266
1. The Magnitogorsk school for foremen	266
2. Foreman -- a blast furnace technologist	267
3. Foreman as the organizer of work at a blast furnace	274
4. Uniform working methods for the various shifts	276

AVAILABLE: Library of Congress

GO/ksv
3-10-59

Card 6/6

SHITOV, I. S.

I. S. Shitov Mine Management of Magnitogorsk Metallurgical Combine

"The slowness of Mekhanobr in certain fields"

report presented at the 4th Scientific and Technical Session of the Mekhanobr
Inst, Leningrad, 15-18 July 1958

SHITOV, I.S.

Expansion of iron ore dressing at the Magnitogorsk Metallurgical
Combine. Stal' 22 no.8:694-695 Ag '62.. (MIRA 15:7)

1. Gornoye upravleniye Magnitogorskogo metallurgicheskogo
kombinata.

(Magnitogorsk--Ore dressing)

VINOGRADOV, V.S., inzh.; AL'TSHULER, M.A., kand. tekhn. nauk; POLYAKOV, V.G., inzh.; KUROCHKIN, A.N., inzh.; KARMAZIN, V.I., doktor tekhn. nauk; ZAIKIN, S.A., inzh.; OSTROVSKIY, G.P., inzh.[deceased]; NAUMENKO, P.I., inzh.; BOBRUSHKIN, L.G., inzh.; RUSTAMOV, I.I., inzh.; SHIFRIN, I.I., inzh.; GOLOVANOV, G.A., inzh.; KRASOVSKIY, L.A., inzh.; TSIMBALENKO, L.N., inzh.; RAVIKOVICH, I.M., inzh.; BAZILEVICH, S.V., kand. tekhn.nauk; ZORIN, I.P., inzh.; ZUBAREV, S.N., inzh.; TIKHOVIDOV, A.F., inzh.; SHITOV, I.S., inzh.; GAMAYUROV, A.I., inzh.; KUSEMBAYEV, Kh.N., inzh.; DEKHTYAREV, S.I., inzh.; VORONOV, I.S., inzh.; BURMIN, G.M., inzh.; BARYSHEV, V.M., inzh.; GOLOVIN, Yu.P., inzh.; MARCHENKO, K.F., inzh.; RYCHKOV, L.F., inzh.; NESTERENKO, A.M., inzh.; KABANOV, V.F., inzh.; PATRIKEYEV, N.N., inzh.[deceased]; ROSSMIT, A.F., inzh.; SOSEDOV, O.O., inzh.; POKROVSKIY, M.A., inzh., retsenzent; POLOTSK, S.M., red.; GOL'DIN, Ya.A., glav. red.; GOLUBYATNIKOVA, G.S., red. izd-va; BOLDYREVA, Z.A., tekhn. red.

[Iron mining and ore dressing industry] Zhelezorudnaya promyshlennost'. Moskva, Gosgortekhnizdat, 1962. 439 p.

(MIRA 15:12)

1. Moscow. Tsentral'nyy institut informatsii chernoy metallurgii.
(Iron mines and mining) (Ore dressing)

VORONOV, F.D.; BIGEYEV, A.M.; KOTOV, V.N.; SHITOV, I.S.; LETIMIN, V.N.

Production of fluxed briquets for converter steel smelting.
Stal' 23 no. 3:214-216 Mr '64. (MIRA 17:5)

1. Magnitogorskiy metallurgicheskiy kombinat i Magnitogorskiy
gornometallurgicheskiy institut.

SHITOV, K.A.

Serum-free medium for culturing *Leptospira*. Zhur.mikrobiol.epid.1
immun. no.3:74-77 Mr '54. (MLRA 7:4)

1. Iz Veronezhskogo instituta epidemiologii i mikrobiologii (direktor
V.M.Kruglikov, nauchnyy rukovoditel' - professor M.V.Zemskov).
(*Leptospira*) (Bacteriology--Cultures and culture media)

SHITOV, K.A.

Detection of pathogenic *Leptospira* and their antibodies in the milk of cows which had had leptospirosis. Zhur.mikrobiol.epid.i immun. no.3:89 Mr '54. (MLRA 7:4)

1. Iz Voronezhskogo instituta epidemiologii i mikrobiologii.
(Leptospirosis) (Antigens and antibodies)

SHITOV, K.A.

USSR/Microbiology - Medical and Veterinary.

F-4

Abs Jour : Ref Zhur - Biologiya, No 7, 1957, 26501

Author : Shitov, K.A.

Inst : Vovonezh Institute of Veterinary Science.

Title : The Biological Method of Diagnosing Leptospirosis.

Orig Pub : Tr. Voronezhsk. zoovet. in-ta, 1956, 13, 121-126

Abst : The infection of spotted marmots (*Citellus suslica*) through the blood and urine of puppies suffering from leptospirosis, the urine of guinea pigs and the blood and urine of diseased humans, led, in all cases of the presence of leptospirae in the material tested, led to the death of the marmots within 6-7 days, more rarely 11-22 days, with the occurrence of a typical pathological anatomical pattern and the isolation in them of pure leptospirae cultures. The infection of marmots by means of various materials from puppies who had died of leptospirosis was found to be the most effective

Card 1/2

SHITOV, K. A., SOLOVIYEV, S. I. and SALEY, P. I.

"Abortions of leptospirous origin in pigs."

Veterinariya, Vol. 37, No. 8, 1960, p. 39

Shitov - Docent, Voronezh Sci-Res-Vet-Station

SALLY, P.I., kand.veterinarnykh nauk; SHITOV, K.A., dotsent; SOLOV'YEV, S.I.

Absortions in swine caused by leptospirosis. Veterinariia 3?
no.8:39-40 Ag '60. (MIA 15.7)

1. Voronezhskaya nauchno-issledovatel'skaya veterinarnaya stantsiya.
(Voronezh Province--Leptospirosis) (Abortion in animals)
(Swine--Diseases and pests)

SHITOV, E.A., dotsent; VITKALOV, V.F., veterinarnyy vrach; SHCHERBAN', H.F.,
aspirant; DORONIN, N.N., doktor veterin. nauk

Testing BCG vaccine in tuberculosis of poultry. Veterinariia 41
no.2:41-43 F '65. (MIRA 18:3)

1. Voronezhskiy sel'skokhozyaystvennyy institut (for Shitov).
2. Rossoshanskoye proizvodstvennoye upravleniye (for Vitkalov).
3. Donskoy sel'skokhozyaystvennyy institut (for Shcherban',
Doronin).

SMIRNOVA, T.V.; DUKEL'SKAYA, N.M.; GORBUNOVA, V.P.; SHITOV, L.N.;
NAUMOVA, I.I.

Analogs of warfarin and their rodenticide properties. Izv.vys.
ucheb.zav.; khim.i khim.tekh. 5 no.1:107-111 '62. (MIRA 15:4)

1. Moskovskiy khimiko-tehnologicheskoy institut imeni Mendeleyeva
i Biologo-pochvennyy fakul'tet Moskovskogo gosudarstvennogo
universiteta imeni Lomonosova.
(Warfarin)

SHAFRANSKIY, V.N.; CHERESHNEV, V.A., nauchn. red.; SHITOVA, L.N.,
red.; SHEVCHENKO, T.N., tekhn. red.

[Determining the need for construction equipment] Oprede-
lenie potrebnosti v stroitel'nykh mashinakh. Moskva, Gos-
stroizdat, 1963. 92 p. (MIRA 17:2)

BY RYKO, Aleksandr Grigor'yevich; TOMLIN, Vitaliy Leon'ovich;
KHITOVA, L.K., red.

[Increasing labor productivity in construction] Povyshenie
produktivnosti truda v stroitel'stve. Moskva, Stroi-
izdat, 1964. 94 p. (St. 1718)

ROVENSKIY, Semen Yakovlevich; CHKHEIDZE, Grigoriy Davidovich;
PETROV, Viktor Konstantinovich; LIBKIND, Azariy Samuilovich;
BALIKHIN, M.I., nauchn. red.; SHITOVA, L.N., red.

[Operational planning in construction by stages and complexes]
Operativnoe planirovanie v stroitel'stve po etapam i kompleksam.
[By] S.IA.Rovenskii i dr. Moskva, Stroiizdat, 1964. 115 p.
(MIRA 17:6)

GLADSHTEYN, B.M.; SHITOV, L.N.; KOVALEV, B.G.; SOBOROVSKIY, I.Z.

Reaction mechanism of direct haloalkylation of elementary
phosphorus. Zhur. ob. khim. 35 no.9:1570-1574 S '65.

(MIRA 18:10)

L 25679-66 ENT(m)/FWP(j) RM
 ACC NR: AP6016688 SOURCE CODE: UR/0079/65/035/009/1570/1574
 AUTHOR: Gladshteyn, B. M.; Shitov, L. N.; Kovalov, B. G.; Soborovskiy, L. Z. 38
 ORG: none B
 TITLE: Mechanism of the direct haloalkylation of elementary phosphorus
 SOURCE: Zhurnal obshchey khimii, v. 35, no. 9, 1965, 1570-1574
 TOPIC TAGS: free radical, phosphorus, alkylation, halogenation
 ABSTRACT: A free radical mechanism of the direct haloalkylation of elemental red phosphorus was experimentally confirmed. The proposed mechanism includes an attack on the phosphorus molecule by radicals formed as a result of homolytic decomposition of the alkyl halide, leading to the formation of phosphorus-containing radicals, the further transformations of which depend on the probability of recombination with other radicals. The hydrocarbon radicals can subsequently either recombine or, splitting out a hydrogen atom, be converted to carbenes, leading to the formation of the reaction products. The reaction products of methyl chloride and of benzyl chloride with red phosphorus were found to contain not only phosphorus-containing substances, but also hydrogen, methane, ethane, ethylene, and propylene, and toluene and trans-stilbene, respectively. R. I. Borodulina and Z. A. Krayneva assisted with the experiment. Orig. art. has: 1 figure, and 3 tables. [JPRS]
 SUB CODE: 07 / SUBM DATE: 08Jun64 / ORIG REF: 004 / OTH REF: 009
 Card 1/1 *ckh* UDC: 547.241 2

RESEARCH AND DEVELOPMENT

The hardening of alloyed tool steel from the stable austenite conditions. B. S. Shvyrev, M. I. Shitov and N. V. Ulyanova. *Vestnik Metalloprod* 13, No. 6, 71-2 (1933); *Chem. Zentr.* 1934, I, 2031.— Alloyed tool steel was hardened by heating above the A_{c1} point and cooling in linseed oil at 135-230° for a period varying from a few sec. to 2 min. The specimen was brought to 230-70° in the air and allowed to remain in the austenite condition from a few sec. to 0.5 hr. The decompn. of austenite into martensite began more quickly the lower the temp. of the cooling bath and the longer the specimen (over about 45 sec.) was allowed to remain in a 230° bath. M. G. M.

AND AIA METALLURGICAL LITERATURE CLASSIFICATION

possibly also upon the thermal treatment itself. Comparison of the mech. properties of the cold-rolled duralumin indicated that the effect of thorough working is not essentially significant but that the anisotropy of the material after quenching is the chief factor increasing the depth of tempering. By a combination of mech. and thermal treatment a duralumin was obtained having a tensile strength of 18 kg./sq. mm. and an extensibility of 20%.

M. G. Moore

SHITOV41 8184ENG8

600

1. SHITOV, V. I. Engineer

2. USSR (600)

Machine Tool Plant imeni S. Ordzhonikidze "EI-290 (ZIS-332) Steel as a Substitute for High-Speed Steel" Stanki I Instrument, 12, No. 4, 1941.

9. [REDACTED] Report U-1503, 4 Oct. 1951.

1ST AND 2ND ORDERS										3RD AND 4TH ORDERS									
PROCESSES AND PROPERTIES INDEX																			
5										10									
<p>THE ANNEALING OF GEARS BY HIGH-FREQUENCY INDUCTION HEATING. M.I. Shitov. (Stanki i Instrument, U.S.S.R., 1947, vol 18, Sept, pp 13-16: (Abstract) Index Aeronauticus, 1948, vol 4, May, p. 49). Experience over a number of years in the high-frequency annealing of machine tool gears indicates the desirability of normalizing before high-frequency treatment. The favourable current density is 1.8-2kW./29 sq. cm. surface, using a high-frequency valve generator of suitable output. Depth of annealing should be not less than 2 mm. For gears exposed to impact loads, annealing after case-hardening or high-frequency surface annealing is suggested.</p>																			
<p>ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION</p>																			
<p>1ST AND 2ND ORDERS</p>										<p>3RD AND 4TH ORDERS</p>									
<p>1ST AND 2ND ORDERS</p>										<p>3RD AND 4TH ORDERS</p>									

SHITOV, M. I.

PA 37/49T34

USSR/Engineering
Machinery
Steel, Chromium - Nickel

Jun 48

"Machining of Austenite Chromium-Nickel Steel 18-8,"
M. I. Shitov, Mach-Tool Plant imeni Ordzhonikidze,
 $\frac{1}{2}$ p

"Stanki i Instrument" No 6

Difficulty in machining subject steel is well known. Describes special heat treatment for cutters. Novel feature is quenching in solution of potassium ferrocyanide. Quotes figures for tool angles and cutting speeds.

37/49T34

SHITOV, M. I.

PA 37/49T100

USSR/Metals
Cast Iron
Hardening

Aug 48

"Hardening Cast Iron by Heating With a High-Frequency Current," M. I. Shitov, Engr, 2½ pp

"Stanki i Instrument" No 8

Presents results of experiments on using high-frequency current heating when hardening important cast-iron parts for machine tools. Shows that this method of hardening considerably increases wear resistance of cast iron. Includes five sketches.

37/49T100

β

8

Machining of 18-Cr 8-Ni Austenitic Steel. M. I. Shaughnessy and Henry Brucher (Altadena, Calif.). Translation No. 3222. 1948, 4 pages. From *Stanki i Instrument* (Machine Tools and Instruments), v. 19, no. 6, 1948, p. 20.
Previously abstracted from original source.

ASB SLA METALLURGICAL LITERATURE CLASSIFICATION

B

PUBLISHED AND PROPRIETARY NAME

8

Induction Hardening of Cast Iron. M. I. Shilov, Henry Brucher (Altadena, Calif.), Translation No. 2228, 1948, 10 pages. From *Stanki i Instrument (Machine Tools and Instruments)*, v. 19, Aug. 1948, p. 23-25. Previously abstracted from original source under title "Hardening of Cast Iron Using High-Frequency Methods."

ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION

STANDARDIZATION

STANDARDIZATION

SHITOV, M.I.; REBRIKOVA, Ye.I.; MODLIN, B.D.

~~XXXXXXXXXXXXXXXXXXXX~~
Factory laboratory assistance to plant workshops. Zav.lab.21 no.1:
122-124 '55. (MLRA 8:5)

1. Nachal'nik Tsentral'noy laboratorii Standozavoda im. Sergo Ordzhonikidze (for Shitov).
 2. Nachal'nik tekhnologicheskoy laboratorii (for Rebrikova).
 3. Nachal'nik stanochnoy laboratorii (for Modlin).
- (Machine-tool industry)

SHITOV, N.

My advice to glass cutters. Sel'. stroi. 12 no.2:28 F '56.

(Glass cutting)

(MIRA 17:2)

SHITOV, N. P.

No. 37368--Aleksandrovskiy zavod v nachale XX veka. V sb: Priro Dnye
Recursy, Istoriya I Kul'tura kar-lo-fin. SSR. VIP. 1, Petrczavask,
1949, s. 44-54.

So: Letor s' Zhurnle'nykk Statey, Vol. 7, 1949.

SHITOV, N. G.

Ships - Disinfection

New method of vermin extermination of ships.

Rech. transp. 12, No. 1, 1952.

9. Monthly List of Russian Accessions, Library of Congress, June 1952. UNCLASSIFIED.

SHITOV, N.G.

Using compressed air for unloading cars. Rech. transp. 17 no.3:37-38
Mr '58. (MIRA 11:4)

1. Starshiy mekhanizatsii pristani Krasnoarmeysk.
(Loading and unloading)
(Air pump)

SHITOV, P.

Liquidate small districts. Fin. SSSR 20 no. 7:62-63 J1 '59.
(MIRA 12:11)

1. Zaveduyushchiy Koptelovskim rayfinotdelom Sverdlovskoy oblasti.
(Koptelovo District--Budget)

SHITOV, S. T.

"The Characteristics of the Course of Suppurative Inflammatory Processes in Animal Joints, Depending on the Disruption of Certain Portions of the Nervous System." Cand Vet Sci, Leningrad Veterinary Inst, Leningrad, 1953. (RZhBiol, No 6, Nov 54)

Survey of Scientific and Technical Dissertations Defended at USSR Higher Educational Institutions (11)

SO: Sum. No. 521, 2 Jun 55

GOLIKOV, A.N., doktor veterin. nauk; SHITOV, S.T., kand. veterin. nauk

Novocaine block of craniocervical sympathetic ganglion in
treating eye diseases. Veterinariia 40 no.10:42-44 0'63.

(MIRA 17:5)

1. Moskovskaya veterinarnaya akademiya.

SHITOV, V.

Problems of fire prevention discussed in the local press. Pozh.
delo 6:14 Mr 160. (MIRA 13:6)
(Moscow Province--Fire prevention--Study and teaching)

SHITOV, V.

AID P - 3149

Subject : USSR/Miscellaneous

Card 1/1 Pub. 135 - 11/20

Authors : Shitov, V., Gards Lt. Col. Eng., Bezdol'nov, V., Col. Eng.;
Kalugin, V., Maj.

Title : Operation of a mobile radar station for aircraft landing

Periodical : Vest. vozd. flota, 10, 59-60, 0 1955

Abstract : The authors describe the joint-operation of a mobile radar station with a radio and light system for aircraft landing. They suggest training methods and discuss deficiencies. A table of the standard commands transmitted to the pilot is given.

Institution : None

Submitted : No date

SHITOV, V.

Where can we get screens? Zhil.-kom. khoz. 13 no.5:29 My '63.
(MIRA 16:8)

1. Zaveduyushchiy banno-prachechnym kombinatom, Belaya Kalitva,
Rostovskoy oblasti.

(No subject headings)

TREUSHNIKOV, Ya.; KIRILLOV, G.; SHITOV, V., kapitan-nastavnik

Study of winter navigation conditions on the Kuybyshev Reservoir.
Rech.transp. 23 no.11:6 N '64. (MIRA 18:3)

1. Zamestitel' nachal'nika Volzhskogo gosudarstvennogo parokhodstva
po tankernomu tonnazu (for Treushnikov). 2. Kapitan ledokola
"Dnepr" (for Kirillov).

ZVYAGIN, B.B.; SHAKHOVA, R.A.; SHITOV, V.A.

Some characteristics of the distribution of clay formations
based on structural and mineralogical indicators as revealed
by electronographic data. Trudy VSEGEI 72:57-73 '62.

(MIRA 15:9)

(Clay--Analysis)

ZVYAGIN, B.B.; MISHCHENKO, K.S.; SHITOV, V.A.

Electron diffraction data on the structures of sepiolite and
palygorskite. Kristallografiia 8 no.2:201-206 Mr-Ap '63.
(MIRA 17:8)

1. Vsesoyuznyy nauchno-issledovatel'skiy geologicheskii
institut.

FOR: Z.; DR. KOVA, G.; SHITOV, V.A.

"Chernykh," a new mineral. Zap. Vses. min. ob-va 94
no 4.437-445 1955. (MIRA 18:9)

VOSTOKOVA, Ye.A.; TAGIROVA, L.N.; VEREYSKIY, N.G.; PREOBRAZHENSKAYA,
N.N.; MOSKALENKO, N.G.; RACHINSKAYA, N.N.; TURMANINA, V.I.;
SHITOV, V.D.; ORLOVA, V.P., red.; PEVZNER, V.I., tekhn.red.;
OKOLELOVA, Z.P., tekhn.red.

[Handbook and guide to the lithological composition of surf-
ical sediments and the depth of occurrence of underground
waters] Spravochnik-opredelitel' litologicheskogo sostava
poverkhnostnykh otlozhenii i glubiny zaleganiia podzemnykh
vod. Pod red. N.G.Vereiskogo i E.A.Vostokovoi. Moskva,
Sel'khozizdat, 1963. 259 p. (MIRA 17:3)

1. Moscow. Vsesoyuznyy nauchno-issledovatel'skiy institut
gidrogeologii i inzhenernoy geologii. 2. Vsesoyuznyy nauchno-
issledovatel'skiy institut gidrogeologii i inzhenernoy geo-
logii (for all except Orlova, Pevzner, Okolelova).

SHITOV, V.I.

Use of lumber transportation in the Carpathian Mountains.

Bum. i der. prom. no.2:44-46 Ap-Je '64.

(MIRA 17:9)

SHITOV, V. V.

USSR / Cultivated Plants. Potatoes. Vegetables. Melons. II

Abs Jour : Ref Zhur - Biol., No 8, 1958, No 34692

Author : Shitov, V.

Inst : Not given

Title : Abundant Seedball Formation in Potato Crops.

Orig Pub : S. kh. Sibiri, 1957, No 5, 89-90.

Abstract : Based on observations of 17 years, it is reported that in the Kurganskaya Oblast the following varieties are highly seedball-forming: Epron, Sverdlovskiy, and Marymchanin; among inter-species hybrids, the varieties 15567 (Mikhnevskiy), 15555 and others are highly fruit-forming. In the Sverdlovskaya Oblast under conditions of arid summers - seedball formation is scarce and less abundant. Yield of seedballs on the Experimental Station of

Card 1/2

60

USSR / Cultivated Plants. Potatoes. Vegetables. Melons. M

Abs Jour : Ref Zhur - Biol., No 8, 1958, No 34692

Agriculture of Kurgansk amounted in 1956, from the variety Epron to 0.59, and from variety 14-312, to 68.4 hwt/h. Variety 14-312 is an inter-species hybrid of the varieties Tsentfoliya x Demissum x Marymchanin. It is distinguished by its resistance against phyto-pithora and canker, and is outstanding by its qualities of good yield. It is to be recommended as a paternal component in hybridization. -- G. E. Chernov.

Card 2/2

SHITOV, V.V.

Technique involved in crossing potatoes. Agrobiologiya no.4:
129-130 J1-Ag '58. (MIRA 11:9)

1. Kurganskaya gosudarstvennaya sel'skokhozyaystvennaya opytnaya
stantsiya.

(Potato breeding)

SHITOV, V.V.

"Kurganskiy-1," a new potato variety. Agrobiologiya no.3:391-394
My-Je '63. (MIRA 16:6)

1. Opytnaya stantsiya Kurganskogo sel'skokhozyaystvennogo instituta,
g. Kurgan.

(Kurgan Province--Potatoes--Varieties)